EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3159	375/316.ccls. or 375/335.ccls. or 375/339.ccls. or 375/344.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:52
S2	23393	frequency near separat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:53
S3	12050	frequency separat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:53
S4	874	(frequency adj separat$4) with (convert$3 or chang$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:54
S5	21	(frequency adj separat$4) with (convert$3 or chang$3) with stage$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 19:01
S6	42	(frequency near separat$4) with (convert$3 or chang$3) with stage$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 19:29
S7	22	(frequency near separat$4) with (convert$3 or chang$3) with complex$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 19:03
S8	7	((frequency near separat$4) with (convert$3 or chang$3) with stage$2) and (complex and bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 19:30

EAST Search History

S9	1757	(frequenc$3 near (convert$3 or chang$3 or shift$3)) same ((plural$4 or multipl$3 or number$3) near (stage$2 or branch$2 or phase$2 or level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 11:20
S10	2	(frequenc$3 near (convert$3 or chang$3 or shift$3)) same ((plural$4 or multipl$3 or number$3) near (stage$2 or branch$2 or phase$2 or level)) and ((input near bandwidth) same (output near bandwidth))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 11:24
S11	20	(frequenc$3 near (convert$3 or chang$3 or shift$3)) same ((plural$4 or multipl$3 or number$3) near (stage$2 or branch$2 or phase$2 or level)) and ((input near bandwidth))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 11:27
S12	1	(frequenc$3 near (convert$3 or chang$3)) same ((plural$4 or multipl$3 or number$3) near (stage$2 or branch$2 or phase$2 or level)) and ((input adj bandwidth)) and ((up convert$3) or (upconvert$2) or (up-convert$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 11:31
S13	2	us-6215828-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 16:26
S14	2	US-0165692-$.DID. OR WO-1168646-$.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/02 16:28
S15	0	wo-0165692-$.DID. OR ep-1168646-$.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/02 16:28
S16	72228	frequency near (separat$3 or shift$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:23

EAST Search History

S17	4624	(frequency near (separat$3 or shift$3)) with convert$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:24
S18	146	(frequency near (separat$3 or shift$3)) with convert$3 with bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:24
S19	132	((frequency near (separat$3 or shift$3)) with convert$3 with bandwidth) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 09:31
S20	19	((frequency near (separat$3 or shift$3 or convert$3) near (stage or block or step or element)) with convert$3 with bandwidth) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:53
S21	19	((frequency near (separat$3 or shift$3 or convert$3) near (stage or block or step or element or level)) with convert$3 with bandwidth) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 09:15
S22	19	((frequency near (separat$3 or shift$3 or convert$3) near (stage or block or step or element or level or level)) with convert$3 with bandwidth) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 09:18

EAST Search History

S23	103	(((frequency near (separat$3 or shift$3 or chang$3)) with convert$3) same ((up convert$3) and (down convert$3))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 12:50
S24	76	(((frequency near (separat$3 or shift$3 or chang$3)) with convert$3) same ((up convert$3) same (down convert$3))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 10:09
S25	6	(((frequency near (separat$3 or shift$3 or chang$3)) with convert$3) same ((up convert$3) and (down convert$3))) and (bandwidth with (contiguous or touch$3 or adjacent)) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 12:54
S26	0	(((frequency near (separat$3 or shift$3 or chang$3)) with convert$3) same ((up convert$3) and (down convert$3))) and (bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 12:57
S27	4	(((frequency near (separat$3 or shift$3 or chang$3)) with convert$3)) and (bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:43

S28	4	(((frequency near (separat$3 or shift$3 or chang$3)) with convert$3)) and (bandwidth with ((no$2 contiguous) or (no$2 touch$3) or (no$2 adjacent))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:36
S29	60	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:32
S30	6	((frequency near (separat$3 or shift$3 or chang$3 or convert$3)) same (bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent)))) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 13:46
S31	202	((frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (extract near carrier)) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:31
S32	1	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent)) with carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:36
S33	2	(bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent)) with carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:35

S34	2	(bandwidth with ((non contiguous) or (no$2 touch$3) or (no$2 adjacent)) same carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:35
S35	960	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (target with carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:37
S36	76	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (target near carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:37
S37	40	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (target adj carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:38
S38	0	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (extract target adj carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:38
S39	532	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (extract$3 near carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 14:39
S40	618	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (extract$3 adj2 carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:17

EAST Search History

S41	130	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) same (extract$3 adj2 carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:03
S42	43	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) same (fine tun$3 with carrier) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:04
S43	33	(frequency near (separat$3 or shift$3 or chang$3 or convert$3)) and (extract$3 adj2 carrier) and (fine tun$3) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:29
S44	75	(frequency near (separat$3 or shift$3 or chang$3 or convert$3) near stage) and (fine tun$3) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:30
S45	70	(frequency adj (separat$3 or shift$3 or chang$3 or convert$3) near stage) and (fine tun$3) and (@pd<"20020704" or @ad<"20020704" or @prad<"20020704" or @rlad<"20020704")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 15:30